

## Steel Tubes (TGL-125/2-24)

List	Company	Brand	Model	Contract no.	Expire date	Contract
1	Thai Premium Pipe Co., Ltd.	TPP: Thai Premium Pipe	<p>Carbon steel pipe</p> <ol style="list-style-type: none"> <li>1. Round type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STK290 and STK400, Size 21.7 mm, thickness 1.0, 1.2, 1.4, 1.6, 1.7, 1.8, 1.9 and 2.0 mm, maximum length 6000 mm.</li> <li>2. Round type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STK290 and STK400, Size 50.8 mm, thickness 1.2, 1.4, 1.6, 1.7, 1.8, 1.9 and 2.0 mm, maximum length 6000 mm.</li> <li>3. Round type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STK290 and STK400, Size 89.1 mm, thickness 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6, and 6.0 mm, maximum length 6000 mm.</li> <li>4. Round type, with seam, uncoated-tepe, grades STK400, Size 101.6 mm, thickness 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>5. Round type, with seam, uncoated-tepe, grades STK400, Size 114.3 mm, thickness 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> </ol>	GL2025/072-1	24-Dec-26	<p>Thai Premium Pipe Co., Ltd.                      45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000                      TEL: (034-845438-41 , 086-9944990                      FAX: 034-845442</p>
	Thai Premium Pipe Co., Ltd.	TPP: Thai Premium Pipe	<p>Carbon steel pipe</p> <ol style="list-style-type: none"> <li>1. Round type, with seam, uncoated-tepe, grades STK400, Size 139.8 mm, thickness 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>2. Round type, with seam, uncoated-tepe, grades STK400, Size 165.2 mm, thickness 6, 7.1, 8.0, 8.2 and 9.0 mm, maximum length 6000 mm.</li> <li>3. Round type, with seam, uncoated-tepe, grades STK400, Size 216.3 mm, thickness 4.5, 5.0, 5.6, 6.0, 7.1, 8.0, 8.2 and 9.0 mm, maximum length 6000 mm.</li> <li>4. Square type , with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 20.0x20.0 mm, thickness 1.0, 1.2, 1.4, 1.6, 1.7, 1.8, 1.9 and 2.0 mm, maximum length 6000 mm.</li> <li>5. Square type , with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 22.0x22.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, and 2.9 mm, maximum length 6000 mm.</li> </ol>	GL2025/072-2	24-Dec-26	<p>Thai Premium Pipe Co., Ltd.                      45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000                      TEL: (034-845438-41 , 086-9944990                      FAX: 034-845442</p>
	Thai Premium Pipe Co., Ltd.	TPP: Thai Premium Pipe	<p>Carbon steel pipe</p> <ol style="list-style-type: none"> <li>1. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 25.0x25.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, and 2.9 mm, maximum length 6000 mm.</li> <li>2. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 30.0x30.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, and 2.9 mm, maximum length 6000 mm.</li> <li>3. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 32.0x32.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9 and 3.2 mm, maximum length 6000 mm.</li> <li>4. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 38.0x38.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5 and 3.6 mm, maximum length 6000 mm.</li> <li>5. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 40.0x40.0 mm, thickness 1.4, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5 and 3.6 mm, maximum length 6000 mm.</li> </ol>	GL2025/072-3	24-Dec-26	<p>Thai Premium Pipe Co., Ltd.                      45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000                      TEL: (034-845438-41 , 086-9944990                      FAX: 034-845442</p>

	Thai Premium Pipe Co., Ltd.	TPP: Thai Premium Pipe	<p>Carbon steel pipe</p> <ol style="list-style-type: none"> <li>1. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 50.0x50.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, and 3.2 mm, maximum length 6000 mm.</li> <li>2. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 60.0x60.0 mm, thickness 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>3. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 65.0x65.0 mm, thickness 1.9, 2.0, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>4. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 75.0x75.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>5. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 100.0x100.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> </ol>	GL2025/072-4	24-Dec-26	<p>Thai Premium Pipe Co., Ltd.  45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000  TEL: (034-845438-41 , 086-9944990  FAX: 034-845442</p>
	Thai Premium Pipe Co., Ltd.	TPP: Thai Premium Pipe	<p>Carbon steel pipe</p> <ol style="list-style-type: none"> <li>1. Square type, with seam, uncoated-tepe, grades STKR400, Size 125.0x125.0 mm, thickness 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6, 6.0, 7.1, 8.0, 8.2 and 9.0 mm, maximum length 6000 mm.</li> <li>2. Square type, with seam, uncoated-tepe, grades STKR400, Size 150.0x150.0 mm, thickness 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>3. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 40.0x20.0 mm, thickness 1.0, 1.2, 1.4, 1.6, 1.7, 1.8, 1.9 and 2.0 mm, maximum length 6000 mm.</li> <li>4. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 50.0x20.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9 and 3.2 mm, maximum length 6000 mm.</li> <li>5. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 50.0x25.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2 and 3.5 mm, maximum length 6000 mm.</li> </ol>	GL2025/072-5	24-Dec-26	<p>Thai Premium Pipe Co., Ltd.  45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000  TEL: (034-845438-41 , 086-9944990  FAX: 034-845442</p>
	Thai Premium Pipe Co., Ltd.	TPP: Thai Premium Pipe	<p>Carbon steel pipe</p> <ol style="list-style-type: none"> <li>1. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 60.0x30.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5 and 3.6 mm, maximum length 6000 mm.</li> <li>2. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 75.0x38.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5 and 3.6 mm, maximum length 6000 mm.</li> <li>3. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 75.0x45.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5 and 3.6 mm, maximum length 6000 mm.</li> <li>4. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 75.0x50.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>5. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 125.0x50.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> </ol>	GL2025/072-6	24-Dec-26	<p>Thai Premium Pipe Co., Ltd.  45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000  TEL: (034-845438-41 , 086-9944990  FAX: 034-845442</p>

	Thai Premium Pipe Co., Ltd.	TPP: Thai Premium Pipe	<p>Carbon steel pipe</p> <p>1. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 150.0x50.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</p> <p>2. Rectangular type, with seam, uncoated-tepe, grades STKR400, Size 150.0x75.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</p> <p>3. Rectangular type, with seam, uncoated-tepe, grades STKR400, Size 150.0x100.0 mm, thickness 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6, 6.0, 7.1, 8.0, 8.2 and 9.0 mm, maximum length 6000 mm.</p> <p>4. Rectangular type, with seam, uncoated-tepe, grades STKR400, Size 200.0x100.0 mm, thickness 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</p> <p>5. Rectangular type, with seam, uncoated-tepe, grades STKR400, Size 200.0x150.0 mm, thickness 4.5, 5.0, 5.6, 6.0, 7.1, 8.0, 8.2 and 9.0 mm, maximum length 6000 mm.</p>	GL2025/072-7	24-Dec-26	<p>Thai Premium Pipe Co., Ltd. 45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000 TEL: (034-845438-41 , 086-9944990 FAX: 034-845442</p>
2	Thaikoon Steel Co., LTD.	THAI KOON	<p><b>Carbon Steel Pipe: 5 Models</b></p> <p>1) Size 25x25 mm., Thickness 0.80 to 3.20 mm., STKR290 and STKR400 grades.</p> <p>2) Size 50x50 mm., Thickness 1.00 to 3.20 mm., STKR290 and STKR400 grades.</p> <p>3) Size 75x38 mm., Thickness 0.80 to 3.20 mm., STKR290 and STKR400 grades.</p> <p>4) Size 100x50 mm., Thickness 1.70 to 3.20 mm., STKR290 and STKR400 grades.</p> <p>5) Size 50x25 mm., Thickness 0.80 to 3.20 mm., STKR290 and STKR400 grades.</p>	GL2026/002-1	04-Jan-28	<p><b>Thaikoon Steel Co., LTD.</b> 299-300 Moo 9 Road Suksawad Tumbol Bangchak District Phrapradang Province Samutprakarn. Postal code 10130 TEL : 02-8175252</p>
	Thaikoon Steel Co., LTD.	THAI KOON	<p><b>Galvanized Steel Pipes: 5 Models</b></p> <p>1) Size 25x25 mm., thickness 0.80–3.20 mm., STKR290, STKR400, and STKR490 grades.</p> <p>2) Size 50x50 mm., thickness 0.80-3.20 mm., STKR290, STKR400, and STKR490 grades.</p> <p>3) Size 50x25 mm., thickness 0.80-3.20 mm., STKR290, STKR400, and STKR490 grades.</p> <p>4) Size 75x38 mm., thickness 0.80-3.20 mm., STKR290, STKR400, and STKR490 grades.</p> <p>5) Size 100x50 mm., thickness 1.70-3.20 mm., STKR290, STKR400, and STKR490 grades.</p>	GL2026/002-2	04-Jan-28	<p><b>Thaikoon Steel Co., LTD.</b> 299-300 Moo 9 Road Suksawad Tumbol Bangchak District Phrapradang Province Samutprakarn. Postal code 10130 TEL : 02-8175252</p>