

## Steel Tubes (TGL-125/2-24)

| List | Company                     | Brand                  | Model  | Contract no. | Expire date | Contract  |
|------|-----------------------------|------------------------|--|--------------|-------------|---|
| 1    | Thai Premium Pipe Co., Ltd. | TPP: Thai Premium Pipe | <p>Carbon steel pipe</p> <ol style="list-style-type: none"> <li>1. Round type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STK290 and STK400, Size 21.7 mm, thickness 1.0, 1.2, 1.4, 1.6, 1.7, 1.8, 1.9 and 2.0 mm, maximum length 6000 mm.</li> <li>2. Round type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STK290 and STK400, Size 50.8 mm, thickness 1.2, 1.4, 1.6, 1.7, 1.8, 1.9 and 2.0 mm, maximum length 6000 mm.</li> <li>3. Round type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STK290 and STK400, Size 89.1 mm, thickness 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6, and 6.0 mm, maximum length 6000 mm.</li> <li>4. Round type, with seam, uncoated-tepe, grades STK400, Size 101.6 mm, thickness 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>5. Round type, with seam, uncoated-tepe, grades STK400, Size 114.3 mm, thickness 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> </ol>  | GL2025/072-1 | 24-Dec-26   | <p>Thai Premium Pipe Co., Ltd.<br/>45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000<br/>TEL: (034-845438-41 , 086-9944990<br/>FAX: 034-845442</p> |
|      | Thai Premium Pipe Co., Ltd. | TPP: Thai Premium Pipe | <p>Carbon steel pipe</p> <ol style="list-style-type: none"> <li>1. Round type, with seam, uncoated-tepe, grades STK400, Size 139.8 mm, thickness 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>2. Round type, with seam, uncoated-tepe, grades STK400, Size 165.2 mm, thickness 6, 7.1, 8.0, 8.2 and 9.0 mm, maximum length 6000 mm.</li> <li>3. Round type, with seam, uncoated-tepe, grades STK400, Size 216.3 mm, thickness 4.5, 5.0, 5.6, 6.0, 7.1, 8.0, 8.2 and 9.0 mm, maximum length 6000 mm.</li> <li>4. Square type , with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 20.0x20.0 mm, thickness 1.0, 1.2, 1.4, 1.6, 1.7, 1.8, 1.9 and 2.0 mm, maximum length 6000 mm.</li> <li>5. Square type , with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 22.0x22.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, and 2.9 mm, maximum length 6000 mm.</li> </ol>  | GL2025/072-2 | 24-Dec-26   | <p>Thai Premium Pipe Co., Ltd.<br/>45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000<br/>TEL: (034-845438-41 , 086-9944990<br/>FAX: 034-845442</p> |
|      | Thai Premium Pipe Co., Ltd. | TPP: Thai Premium Pipe | <p>Carbon steel pipe</p> <ol style="list-style-type: none"> <li>1. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 25.0x25.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, and 2.9 mm, maximum length 6000 mm.</li> <li>2. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 30.0x30.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, and 2.9 mm, maximum length 6000 mm.</li> <li>3. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 32.0x32.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9 and 3.2 mm, maximum length 6000 mm.</li> <li>4. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 38.0x38.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5 and 3.6 mm, maximum length 6000 mm.</li> <li>5. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 40.0x40.0 mm, thickness 1.4, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5 and 3.6 mm, maximum length 6000 mm.</li> </ol> | GL2025/072-3 | 24-Dec-26   | <p>Thai Premium Pipe Co., Ltd.<br/>45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000<br/>TEL: (034-845438-41 , 086-9944990<br/>FAX: 034-845442</p> |

|  |                             |                        |  |              |           |  |
|--|-----------------------------|------------------------|--|--------------|-----------|--|
|  | Thai Premium Pipe Co., Ltd. | TPP: Thai Premium Pipe | <p>Carbon steel pipe</p> <ol style="list-style-type: none"> <li>1. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 50.0x50.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, and 3.2 mm, maximum length 6000 mm.</li> <li>2. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 60.0x60.0 mm, thickness 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>3. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 65.0x65.0 mm, thickness 1.9, 2.0, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>4. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 75.0x75.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>5. Square type, with seam, metal-tepe type coating before foring and uncoated-tepe, grades STKR290 and STKR400, Size 100.0x100.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> </ol> | GL2025/072-4 | 24-Dec-26 | <p>Thai Premium Pipe Co., Ltd.<br/> 45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000<br/> TEL: (034-845438-41 , 086-9944990<br/> FAX: 034-845442</p> |
|  | Thai Premium Pipe Co., Ltd. | TPP: Thai Premium Pipe | <p>Carbon steel pipe</p> <ol style="list-style-type: none"> <li>1. Square type, with seam, uncoated-tepe, grades STKR400, Size 125.0x125.0 mm, thickness 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6, 6.0, 7.1, 8.0, 8.2 and 9.0 mm, maximum length 6000 mm.</li> <li>2. Square type, with seam, uncoated-tepe, grades STKR400, Size 150.0x150.0 mm, thickness 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>3. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 40.0x20.0 mm, thickness 1.0, 1.2, 1.4, 1.6, 1.7, 1.8, 1.9 and 2.0 mm, maximum length 6000 mm.</li> <li>4. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 50.0x20.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9 and 3.2 mm, maximum length 6000 mm.</li> <li>5. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 50.0x25.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2 and 3.5 mm, maximum length 6000 mm.</li> </ol>   | GL2025/072-5 | 24-Dec-26 | <p>Thai Premium Pipe Co., Ltd.<br/> 45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000<br/> TEL: (034-845438-41 , 086-9944990<br/> FAX: 034-845442</p> |
|  | Thai Premium Pipe Co., Ltd. | TPP: Thai Premium Pipe | <p>Carbon steel pipe</p> <ol style="list-style-type: none"> <li>1. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 60.0x30.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2 , 3.5 and 3.6 mm, maximum length 6000 mm.</li> <li>2. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 75.0x38.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5 and 3.6 mm, maximum length 6000 mm.</li> <li>3. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 75.0x45.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5 and 3.6 mm, maximum length 6000 mm.</li> <li>4. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 75.0x50.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> <li>5. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 125.0x50.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.</li> </ol>  | GL2025/072-6 | 24-Dec-26 | <p>Thai Premium Pipe Co., Ltd.<br/> 45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000<br/> TEL: (034-845438-41 , 086-9944990<br/> FAX: 034-845442</p> |

|   |                             |                        |   |              |           |   |
|---|-----------------------------|------------------------|---|--------------|-----------|---|
|   | Thai Premium Pipe Co., Ltd. | TPP: Thai Premium Pipe | Carbon steel pipe<br>1. Rectangular type, with seam, uncoated-tepe, grades STKR290 and STKR400, Size 150.0x50.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.<br>2. Rectangular type, with seam, uncoated-tepe, grades STKR400, Size 150.0x75.0 mm, thickness 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.<br>3. Rectangular type, with seam, uncoated-tepe, grades STKR400, Size 150.0x100.0 mm, thickness 2.3, 2.5, 2.6, 2.8, 2.9, 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6, 6.0, 7.1, 8.0, 8.2 and 9.0 mm, maximum length 6000 mm.<br>4. Rectangular type, with seam, uncoated-tepe, grades STKR400, Size 200.0x100.0 mm, thickness 3.2, 3.5, 3.6, 4.0, 4.2, 4.5, 5.0, 5.6 and 6.0 mm, maximum length 6000 mm.<br>5. Rectangular type, with seam, uncoated-tepe, grades STKR400, Size 200.0x150.0 mm, thickness 4.5, 5.0, 5.6, 6.0, 7.1, 8.0, 8.2 and 9.0 mm, maximum length 6000 mm. | GL2025/072-7 | 24-Dec-26 | Thai Premium Pipe Co., Ltd.<br>45 Moo 2, Chai Mongkon Sub-district, Mueang Samut Sakhon District, Samut Sakhon Province 74000<br>TEL: (034-845438-41 , 086-9944990<br>FAX: 034-845442 |
| 2 | Thaikoon Steel Co., LTD.    | THAI KOON              | Carbon Steel Pipe: 5 Models<br>1) Size 25x25 mm., Thickness 0.80 to 3.20 mm., STKR290 and STKR400 grades.<br>2) Size 50x50 mm., Thickness 1.00 to 3.20 mm., STKR290 and STKR400 grades.<br>3) Size 75x38 mm., Thickness 0.80 to 3.20 mm., STKR290 and STKR400 grades.<br>4) Size 100x50 mm., Thickness 1.70 to 3.20 mm., STKR290 and STKR400 grades.<br>5) Size 50x25 mm., Thickness 0.80 to 3.20 mm., STKR290 and STKR400 grades.  | GL2026/002-1 | 04-Jan-28 | Thaikoon Steel Co., LTD.<br>299-300 Moo 9 Road Suksawad Tumbol Bangchak District Phrapradang Province Samutprakarn. Postal code 10130<br>TEL : 02-8175252                             |
|   | Thaikoon Steel Co., LTD.    | THAI KOON              | Galvanized Steel Pipes: 5 Models<br>1) Size 25x25 mm., thickness 0.80-3.20 mm., STKR290, STKR400, and STKR490 grades.<br>2) Size 50x50 mm., thickness 0.80-3.20 mm., STKR290, STKR400, and STKR490 grades.<br>3) Size 50x25 mm., thickness 0.80-3.20 mm., STKR290, STKR400, and STKR490 grades.<br>4) Size 75x38 mm., thickness 0.80-3.20 mm., STKR290, STKR400, and STKR490 grades.<br>5) Size 100x50 mm., thickness 1.70-3.20 mm., STKR290, STKR400, and STKR490 grades.  | GL2026/002-2 | 04-Jan-28 | Thaikoon Steel Co., LTD.<br>299-300 Moo 9 Road Suksawad Tumbol Bangchak District Phrapradang Province Samutprakarn. Postal code 10130<br>TEL : 02-8175252                             |
|   | Thaikoon Steel Co., LTD.    | THAI KOON              | Carbon steel pipe<br>1. Size 12.7x12.7 mm. Thickness 0.80 to 3.20 mm., STKR290 and STKR400 grades.<br>2. Size 19x19 mm. Thickness 0.80 to 3.20 mm., STKR290 and STKR400 grades.<br>3. Size 32x32 mm. Thickness 0.80 to 3.20 mm., STKR290 and STKR400 grades.<br>4. Size 38x38 mm. Thickness 0.80 to 3.20 mm., STKR290 and STKR400 grades.<br>5. Size 75x75 mm. Thickness 1.20 to 3.20 mm., STKR290 and STKR400 grades.<br>6. Size 25.4x12.7 mm. Thickness 0.80 to 3.20 mm., STKR290 and STKR400 grades.<br>7. Size 38x19 mm. Thickness 0.80 to 3.20 mm., STKR290 and STKR400 grades.  | GL2026/025-1 | 04-Jan-28 | Thaikoon Steel Co., LTD.<br>299-300 Moo 9 Road Suksawad Tumbol Bangchak District Phrapradang Province Samutprakarn. Postal code 10130<br>TEL : 02-8175252                             |
|   | Thaikoon Steel Co., LTD.    | THAI KOON              | Galvanized steel pipe<br>1. Size 12.7x12.7 mm. Thickness 0.80 to 3.20 mm., STKR290, STKR400, and STKR490 grades.<br>2. Size 19x19 mm. Thickness 0.80 to 3.20 mm., STKR290, STKR400, and STKR490 grades.<br>3. Size 32x32 mm. Thickness 0.80 to 3.20 mm., STKR290, STKR400, and STKR490 grades.<br>4. Size 38x38 mm. Thickness 0.80 to 3.20 mm., STKR290, STKR400, and STKR490 grades.<br>5. Size 75x75 mm. Thickness 1.00 to 3.20 mm., STKR290 and STKR400 grades<br>6. Size 75x75 mm. Thickness 1.70 to 3.20 mm., STKR490 grades<br>7. Size 25.4x12.7 mm. Thickness 0.80 to 3.20 mm., STKR290, STKR400, and STKR490 grades.<br>8. Size 38x19 mm. Thickness 0.80 to 3.20 mm., STKR290, STKR400, and STKR490 grades.   | GL2026/025-2 | 04-Jan-28 | Thaikoon Steel Co., LTD.<br>299-300 Moo 9 Road Suksawad Tumbol Bangchak District Phrapradang Province Samutprakarn. Postal code 10130<br>TEL : 02-8175252                             |