

Electric and Communication Cables (TGL-118-16)

List	Company	Brand	Model	Contract no.	Expire date	Contract
1	MCI-Draka Cable Co., Ltd.	DRAKA	1. 60227 IEC 01 1.1 Single-core non-sheathed cable with rigid conductor for general purposes 60227 IEC 01 rated voltage 450/750V conductor class 1 cross-sectional area of conductor 1.5 mm2, 2.5 mm2, 4 mm2, 6 mm2 and 10 mm2 1.2 Single-core non-sheathed cable with rigid conductor for general purposes 60227 IEC 01 rated voltage 450/750V conductor class 2 cross-sectional area of conductor 1.5 mm2, 2.5 mm2, 4 mm2, 6 mm2 and 10 mm2 and 16 mm2 1.3 Single-core non-sheathed cable with rigid conductor for general purposes 60227 IEC 01 rated voltage 450/750V conductor class 2 cross-sectional area of conductor 25 mm2, 35 mm2, 50 mm2, 70 mm2, 95 mm2 and 120 mm2 1.4 Single-core non-sheathed cable with rigid conductor for general purposes 60227 IEC 01 rated voltage 450/750V conductor class 2 cross-sectional area of conductor 150 mm2, 185 mm2, 240 mm2, 300 mm2 and 400 mm2 2. 60227 IEC 02 2.1 Single-core non-sheathed cable with flexible conductor for general purposes 60227 IEC 02 rated voltage 450/750V conductor class 5 cross-sectional area of conductor 1.5 mm2, 2.5 mm2, 4 mm2, 6 mm2, 10 mm2 and 16 mm2 2.2 Single-core non-sheathed cable with flexible conductor for general purposes 60227 IEC 02 rated voltage 450/750V conductor class 5 cross-sectional area of conductor 25 mm2, 35 mm2, 50 mm2, 70 mm2, 95 mm2 and 120 mm2 2.3 Single-core non-sheathed cable with flexible conductor for general purposes 60227 IEC 02 rated voltage 450/750V conductor class 5 cross-sectional area of conductor 150 mm2, 185 mm2 and 240 mm2	GL2023/046-1	01-Oct-26	MCI-Draka Cable Co., Ltd. 2170 New Petchburi Road, Bangkok, Huaykhwang Bangkok, 10310 TEL : 02-3080830-2 FAX : 02-3080054
	MCI-Draka Cable Co., Ltd.	DRAKA	3. 60227 IEC 05 3.1 Single-core non-sheathed cable with solid conductor for internal wiring for a conductor temperature of 70°C 60227 IEC 05 rated voltage 300/500V conductor class 1 cross-sectional area of conductor 0.5 mm2, 0.75 mm2 and 1 mm2 4. 60227 IEC 07 4.1 Single-core non-sheathed cable with solid conductor for internal wiring for a conductor temperature of 90°C 60227 IEC 07 rated voltage 300/500V conductor class 1 cross-sectional area of conductor 0.5 mm2, 0.75 mm2, 1 mm2, 1.5 mm2 and 2.5 mm2 5. 60227 IEC 10 5.1 Light polyvinyl chloride sheathed cable 60227 IEC 10 rated voltage 300/500V conductor class 1 cross-sectional area of conductor 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 2x6 mm2, 2x10 mm2, 2x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 3x6 mm2, 3x10 mm2, 4x1.5 mm2, 4x2.5 mm2, 4x4 mm2, 4x6 mm2, 4x10 mm2, 5x1.5 mm2, 5x2.5 mm2, 5x4 mm2, 5x6 mm2 and 5x10 mm2 5.2 Light polyvinyl chloride sheathed cable 60227 IEC 10 rated voltage 300/500V conductor class 2 cross-sectional area of conductor 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 2x6 mm2, 2x10 mm2, 2x16 mm2, 2x25 mm2, 2x35 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 3x6 mm2, 3x10 mm2, 3x16 mm2, 3x25 mm2, 3x35 mm2, 4x1.5 mm2, 4x2.5 mm2, 4x4 mm2, 4x6 mm2, 4x10 mm2, 4x16 mm2, 4x25 mm2, 4x35 mm2, 5x1.5 mm2, 5x2.5 mm2, 5x4 mm2, 5x6 mm2, 5x10 mm2, 5x16 mm2, 5x25 mm2 and 5x35 mm2 6. 60227 IEC 52 6.1 Light polyvinyl chloride sheathed cord 60227 IEC 52 rated voltage 300/300V conductor class 5 cross-sectional area of conductor 2x0.5 mm2, 2x0.75 mm2, 3x0.5 mm2 and 3x0.75 mm2	GL2023/046-2	01-Oct-26	MCI-Draka Cable Co., Ltd. 2170 New Petchburi Road, Bangkok, Huaykhwang Bangkok, 10310 TEL : 02-3080830-2 FAX : 02-3080054
	MCI-Draka Cable Co., Ltd.	DRAKA	7. 60227 IEC 53 7.1 Ordinary polyvinyl chloride sheathed cord 60227 IEC 53 rated voltage 300/500V conductor class 5 cross-sectional area of conductor 2x0.75 mm2, 2x1 mm2, 2x1.5 mm2, 2x2.5 mm2, 3x0.75 mm2, 3x1 mm2, 3x1.5 mm2, 3x2.5 mm2, 4x0.75 mm2, 4x1 mm2, 4x1.5 mm2, 4x2.5 mm2, 5x0.75 mm2, 5x1 mm2, 5x1.5 mm2 and 5x2.5 mm2 8. NYY 8.1 Insulated, inner and outer sheathed cables NYY rated voltage 450/750V conductor class 1 cross-sectional area of conductor 1x1 mm2, 1x1.5 mm2, 1x2.5 mm2 and 1x4 mm2 8.2 Insulated, inner and outer sheathed cables NYY rated voltage 450/750V conductor class 2 cross-sectional area of conductor 1x1 mm2, 1x1.5 mm2, 1x2.5 mm2, 1x4 mm2, 1x6 mm2, 1x10 mm2, 1x16 mm2, 1x25 mm2, 1x35 mm2, 1x50 mm2, 1x70 mm2, 1x95 mm2, 1x120 mm2, 1x150 mm2, 1x185 mm2, 1x240 mm2, 1x300 mm2, 1x400 mm2 and 1x500 mm2 8.3 Insulated, inner and outer sheathed cables NYY rated voltage 450/750V conductor class 1 cross-sectional area of conductor 2x1 mm2, 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 3x1 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 4x1.5 mm2, 4x2.5 mm2 and 4x4 mm2 8.4 Insulated, inner and outer sheathed cables NYY rated voltage 450/750V conductor class 2 cross-sectional area of conductor 2x1 mm2, 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 2x6 mm2, 2x10 mm2, 2x16 mm2, 2x25 mm2, 2x35 mm2, 2x50 mm2, 2x70 mm2, 2x95 mm2, 2x120 mm2, 2x150 mm2, 2x185 mm2, 2x240 mm2, 2x300 mm2, 3x1 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 3x6 mm2, 3x10 mm2, 3x16 mm2, 3x25 mm2, 3x35 mm2, 3x50 mm2, 3x70 mm2, 3x95 mm2, 3x120 mm2, 3x150 mm2, 3x185 mm2, 3x240 mm2, 3x300 mm2, 4x1 mm2, 4x1.5 mm2, 4x2.5 mm2, 4x4 mm2, 4x6 mm2, 4x10 mm2, 4x16 mm2, 4x25 mm2, 4x35 mm2, 4x50 mm2, 4x70 mm2, 4x95 mm2, 4x120 mm2, 4x150 mm2, 4x185 mm2, 4x240 mm2 and 4x300 mm2	GL2023/046-3	01-Oct-26	MCI-Draka Cable Co., Ltd. 2170 New Petchburi Road, Bangkok, Huaykhwang Bangkok, 10310 TEL : 02-3080830-2 FAX : 02-3080054

Electric and Communication Cables (TGL-118-16)

List	Company	Brand	Model	Contract no.	Expire date	Contract
	MCI-Draka Cable Co., Ltd.	DRAKA	9. NYY-G 9.1 Insulated, inner and outer sheathed cables NYY-G rated voltage 450/750V conductor class 1 cross-sectional area of conductor 2x1/1 mm2, 2x1.5/1.5 mm2, 2x2.5/2.5 mm2, 2x4/4 mm2, 3x1/1 mm2, 3x1.5/1.5 mm2, 3x2.5/2.5 mm2, 3x4/4 mm2, 4x1/1 mm2, 4x1.5/1.5 mm2, 4x2.5/2.5 mm2 and 4x4/4 mm2 9.2 Insulated, inner and outer sheathed cables NYY-G rated voltage 450/750V conductor class 2 cross-sectional area of conductor 2x1/1 mm2, 2x1.5/1.5 mm2, 2x2.5/2.5 mm2, 2x4/4 mm2, 2x6/6 mm2, 2x10/10 mm2, 2x16/16 mm2, 2x25/16 mm2, 2x35/16 mm2, 2x50/25 mm2, 2x70/35 mm2, 2x95/50 mm2, 2x120/70 mm2, 2x150/95 mm2, 2x185/95 mm2, 2x240/120 mm2, 2x300/150 mm2, 3x1/1 mm2, 3x1.5/1.5 mm2, 3x2.5/2.5 mm2, 3x4/4 mm2, 3x6/6 mm2, 3x10/10 mm2, 3x16/16 mm2, 3x25/16 mm2, 3x35/16 mm2, 3x50/25 mm2, 3x70/35 mm2, 3x95/50 mm2, 3x120/70 mm2, 3x150/95 mm2, 3x185/95 mm2, 3x240/120 mm2, 3x300/150 mm2, 4x1/1 mm2, 4x1.5/1.5 mm2, 4x2.5/2.5 mm2, 4x4/4 mm2, 4x6/6 mm2, 4x10/10 mm2, 4x16/16 mm2, 4x25/16 mm2, 4x35/16 mm2, 4x50/25 mm2, 4x70/35 mm2, 4x95/50 mm2, 4x120/70 mm2, 4x150/95 mm2, 4x185/95 mm2, 4x240/120 mm2 and 4x300/150 mm2	GL2023/046-4	01-Oct-26	MCI-Draka Cable Co., Ltd. 2170 New Petchburi Road, Bangkok, Huaykhwang Bangkok, 10310 TEL : 02-3080830-2 FAX : 02-3080054
	MCI-Draka Cable Co., Ltd.	DRAKA	10. VCT 10.1 Insulated and sheathed flexible cables VCT rated voltage 450/750V conductor class 5 cross-sectional area of conductor 1x1 mm2, 1x1.5 mm2, 1x2.5 mm2, 1x4 mm2, 1x6 mm2, 1x10 mm2, 1x16 mm2, 1x25 mm2, 1x35 mm2, 2x1 mm2, 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 2x6 mm2, 2x10 mm2, 2x16 mm2, 2x25 mm2, 2x35 mm2, 3x1 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 3x6 mm2, 3x10 mm2, 3x16 mm2, 3x25 mm2, 3x35 mm2, 4x1 mm2, 4x1.5 mm2, 4x2.5 mm2, 4x4 mm2, 4x6 mm2, 4x10 mm2, 4x16 mm2, 4x25 mm2 and 4x35 mm2 11. VCT-G 11.1 Insulated and sheathed flexible cables VCT-G rated voltage 450/750V conductor class 5 cross-sectional area of conductor 2x1/1 mm2, 2x1.5/1.5 mm2, 2x2.5/2.5 mm2, 2x4/4 mm2, 2x6/6 mm2, 2x10/10 mm2, 2x16/16 mm2, 2x25/16 mm2, 2x35/16 mm2, 3x1/1 mm2, 3x1.5/1.5 mm2, 3x2.5/2.5 mm2, 3x4/4 mm2, 3x6/6 mm2, 3x10/10 mm2, 3x16/16 mm2, 3x25/16 mm2, 3x35/16 mm2, 4x1/1 mm2, 4x1.5/1.5 mm2, 4x2.5/2.5 mm2, 4x4/4 mm2, 4x6/6 mm2, 4x10/10 mm2, 4x16/16 mm2, 4x25/16 mm2 and 4x35/16 mm2	GL2023/046-5	01-Oct-26	MCI-Draka Cable Co., Ltd. 2170 New Petchburi Road, Bangkok, Huaykhwang Bangkok, 10310 TEL : 02-3080830-2 FAX : 02-3080054
	MCI-Draka Cable Co., Ltd.	PRYSMIAN	1.60227 IEC 01, 4 Models: 1.Single-core non-sheathed cable with rigid conductor for general purposes 60227 IEC 01 rated voltage 450/750V conductor class 1 cross-sectional area of conductor 1.5 mm2, 2.5 mm2, 4 mm2, 6 mm2 and 10 mm2 2.Single-core non-sheathed cable with rigid conductor for general purposes 60227 IEC 01 rated voltage 450/750V conductor class 2 cross-sectional area of conductor 1.5 mm2, 2.5 mm2, 4 mm2, 6 mm2, 10 mm2 and 16 mm2 3.Single-core non-sheathed cable with rigid conductor for general purposes 60227 IEC 01 rated voltage 450/750V conductor class 2 cross-sectional area of conductor 25 mm2, 35 mm2, 50 mm2, 70 mm2, 95 mm2 and 120 mm2 4.Single-core non-sheathed cable with rigid conductor for general purposes 60227 IEC 01 rated voltage 450/750V conductor class 2 cross-sectional area of conductor 150 mm2, 185 mm2, 240 mm2, 300 mm2 and 400 mm2	GL2026/033-1	09-Jun-29	MCI-Draka Cable Co., Ltd. 2170 New Petchburi Road, Bangkapi, Huaykhwang Bangkok, 10310 TEL : 02-3080830-2 FAX : 02-3080054

Electric and Communication Cables (TGL-118-16)

List	Company	Brand	Model	Contract no.	Expire date	Contract
	MCI-Draka Cable Co., Ltd.	PRYSMIAN	1. 60227 IEC 02, 3 Models: 1. Single-core non-sheathed cable with flexible conductor for general purposes 60227 IEC 02 rated voltage 450/750V conductor class 5 cross-sectional area of conductor 1.5 mm2, 2.5 mm2, 4 mm2, 6 mm2, 10 mm2 and 16 mm2 2. Single-core non-sheathed cable with flexible conductor for general purposes 60227 IEC 02 rated voltage 450/750V conductor class 5 cross-sectional area of conductor 25 mm2, 35 mm2, 50 mm2, 70 mm2, 95 mm2 and 120 mm2 3. Single-core non-sheathed cable with flexible conductor for general purposes 60227 IEC 02 rated voltage 450/750V conductor class 5 cross-sectional area of conductor 150 mm2, 185 mm2 and 240 mm2 2. 60227 IEC 05, 1 Model: Single-core non-sheathed cable with solid conductor for internal wiring for a conductor temperature of 70°C 60227 IEC 05 rated voltage 300/500V conductor class 1 cross-sectional area of conductor 0.5 mm2, 0.75 mm2 and 1 mm2 3. 60227 IEC 07, 1 Model: Single-core non-sheathed cable with solid conductor for internal wiring for a conductor temperature of 90 °C 60227 IEC 07 rated voltage 300/500V conductor class 1 cross-sectional area of conductor 0.5 mm2, 0.75 mm2, 1 mm2, 1.5 mm2 and 2.5 mm2	GL2026/033-2	09-Jun-29	MCI-Draka Cable Co., Ltd. 2170 New Petchburi Road, Bangkapi, Huaykhwang Bangkok, 10310 TEL : 02-3080830-2 FAX : 02-3080054
	MCI-Draka Cable Co., Ltd.	PRYSMIAN	1.60227 IEC 10, 2 Models: 1. Light polyvinyl chloride sheathed cable 60227 IEC 10 rated voltage 300/500V conductor class 1 cross-sectional area of conductor 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 2x6 mm2, 2x10 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 3x6 mm2, 3x10 mm2, 4x1.5 mm2, 4x2.5 mm2, 4x4 mm2, 4x6 mm2, 4x10 mm2, 5x1.5 mm2, 5x2.5 mm2, 5x4 mm2, 5x6 mm2 and 5x10 mm2 2.Light polyvinyl chloride sheathed cable 60227 IEC 10 rated voltage 300/500V conductor class 2 cross-sectional area of conductor 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 2x6 mm2, 2x10 mm2, 2x16 mm2, 2x25 mm2, 2x35 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 3x6 mm2, 3x10 mm2, 3x16 mm2, 3x25 mm2, 3x35 mm2, 4x1.5 mm2, 4x2.5 mm2, 4x4 mm2, 4x6 mm2, 4x10 mm2, 4x16 mm2, 4x25 mm2, 4x35 mm2, 5x1.5 mm2, 5x2.5 mm2, 5x4 mm2, 5x6 mm2, 5x10 mm2, 5x16 mm2, 5x25 mm2 and 5x35 mm2 2. 60227 IEC 52, 1 Model: Light polyvinyl chloride sheathed cord 60227 IEC 52 rated voltage 300/300V conductor class 5 cross-sectional area of conductor 2x0.5 mm2, 2x0.75 mm2, 3x0.5 mm2 and 3x0.75 mm2 3. 60227 IEC 52, 1 Model: Ordinary polyvinyl chloride sheathed cord 60227 IEC 53 rated voltage 300/500V conductor class 5 cross-sectional area of conductor 2x0.75 mm2, 2x1 mm2, 2x1.5 mm2, 2x2.5 mm2, 3x0.75 mm2, 3x1 mm2, 3x1.5 mm2, 3x2.5 mm2, 4x0.75 mm2, 4x1 mm2, 4x1.5 mm2, 4x2.5 mm2, 5x0.75 mm2, 5x1 mm2, 5x1.5 mm2 and 5x2.5 mm2	GL2026/033-3	09-Jun-29	MCI-Draka Cable Co., Ltd. 2170 New Petchburi Road, Bangkapi, Huaykhwang Bangkok, 10310 TEL : 02-3080830-2 FAX : 02-3080054
	MCI-Draka Cable Co., Ltd.	PRYSMIAN	1. NYY, 4 Models: 1. Insulated, inner and outer sheathed cables NYY rated voltage 450/750V conductor class 1 cross-sectional area of conductor 1x1 mm2, 1x1.5 mm2, 1x2.5 mm2 and 1x4 mm2 2. Insulated, inner and outer sheathed cables NYY rated voltage 450/750V conductor class 2 cross-sectional area of conductor 1x1 mm2, 1x1.5 mm2, 1x2.5 mm2, 1x4 mm2, 1x6 mm2, 1x10 mm2, 1x16 mm2, 1x25 mm2, 1x35 mm2, 1x50 mm2, 1x70 mm2, 1x95 mm2, 1x120 mm2, 1x150 mm2, 1x185 mm2, 1x240 mm2, 1x300 mm2, 1x400 mm2 and 1x500 mm2 3. Insulated, inner and outer sheathed cables NYY rated voltage 450/750V conductor class 1 cross-sectional area of conductor 2x1 mm2, 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 3x1 mm2, 3x1.5 mm2, 3x2.5 mm2, 4x1 mm2, 4x1.5 mm2, 4x2.5 mm2 and 4x4 mm2 4. Insulated, inner and outer sheathed cables NYY rated voltage 450/750V conductor class 2 cross-sectional area of conductor 2x1 mm2, 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 2x6 mm2, 2x10 mm2, 2x16 mm2, 2x25 mm2, 2x35 mm2, 2x50 mm2, 2x70 mm2, 2x95 mm2, 2x120 mm2, 2x150 mm2, 2x185 mm2, 2x240 mm2, 2x300 mm2, 3x1 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 3x6 mm2, 3x10 mm2, 3x16 mm2, 3x25 mm2, 3x35 mm2, 3x50 mm2, 3x70 mm2, 3x95 mm2, 3x120 mm2, 3x150 mm2, 3x185 mm2, 3x240 mm2, 3x300 mm2, 4x1 mm2, 4x1.5 mm2, 4x2.5 mm2, 4x4 mm2, 4x6 mm2, 4x10 mm2, 4x16 mm2, 4x25 mm2, 4x35 mm2, 4x50 mm2, 4x70 mm2, 4x95 mm2, 4x120 mm2, 4x150 mm2, 4x185 mm2, 4x240 mm2 and 4x300 mm2	GL2026/033-4	09-Jun-29	MCI-Draka Cable Co., Ltd. 2170 New Petchburi Road, Bangkapi, Huaykhwang Bangkok, 10310 TEL : 02-3080830-2 FAX : 02-3080054

Electric and Communication Cables (TGL-118-16)

List	Company	Brand	Model	Contract no.	Expire date	Contract
	MCI-Draka Cable Co., Ltd.	PRYSMIAN	1. NYY-G, 2 Models: 1. Insulated, inner and outer sheathed cables NYY-G rated voltage 450/750V conductor class 1 cross-sectional area of conductor 2x1/1 mm2, 2x1.5/1.5 mm2, 2x2.5/2.5 mm2, 2x4/4 mm2, 3x1/1 mm2, 3x1.5/1.5 mm2, 3x2.5/2.5 mm2, 3x4/4 mm2, 4x1/1 mm2, 4x1.5/1.5 mm2, 4x2.5/2.5 mm2 and 4x4/4 mm2 2. Insulated, inner and outer sheathed cables NYY-G rated voltage 450/750V conductor class 2 cross-sectional area of conductor 2x1/1 mm2, 2x1.5/1.5 mm2, 2x2.5/2.5 mm2, 2x4/4 mm2, 2x6/6 mm2, 2x10/10 mm2, 2x16/16 mm2, 2x25/16 mm2, 2x35/16 mm2, 2x50/25 mm2, 2x70/35 mm2, 2x95/50 mm2, 2x120/70 mm2, 2x150/95 mm2, 2x185/95 mm2, 2x240/120 mm2, 2x300/150 mm2, 3x1/1 mm2, 3x1.5/1.5 mm2, 3x2.5/2.5 mm2, 3x4/4 mm2, 3x6/6 mm2, 3x10/10 mm2, 3x16/16 mm2, 3x25/16 mm2, 3x35/16 mm2, 3x50/25 mm2, 3x70/35 mm2, 3x95/50 mm2, 3x120/70 mm2, 3x150/95 mm2, 3x185/95 mm2, 3x240/120 mm2, 3x300/150 mm2, 4x1/1 mm2, 4x1.5/1.5 mm2, 4x2.5/2.5 mm2, 4x4/4 mm2, 4x6/6 mm2, 4x10/10 mm2, 4x16/16 mm2, 4x25/16 mm2, 4x35/16 mm2, 4x50/25 mm2, 4x70/35 mm2, 4x95/50 mm2, 4x120/70 mm2, 4x150/95 mm2, 4x185/95 mm2, 4x240/120 mm2 and 4x300/150 mm2	GL2026/033-5	09-Jun-29	MCI-Draka Cable Co., Ltd. 2170 New Petchburi Road, Bangkapi, Huaykhwang Bangkok, 10310 TEL : 02-3080830-2 FAX : 02-3080054
	MCI-Draka Cable Co., Ltd.	PRYSMIAN	1. VCT, 1 Model: 1. Insulated and sheathed flexible cables VCT rated voltage 450/750V conductor class 5 cross-sectional area of conductor 1x1 mm2, 1x1.5 mm2, 1x2.5 mm2, 1x4 mm2, 1x6 mm2, 1x10 mm2, 1x16 mm2, 1x25 mm2, 1x35 mm2, 2x1 mm2, 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 2x6 mm2, 2x10 mm2, 2x16 mm2, 2x25 mm2, 2x35 mm2, 3x1 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 3x6 mm2, 3x10 mm2, 3x16 mm2, 3x25 mm2, 3x35 mm2, 4x1 mm2, 4x1.5 mm2, 4x2.5 mm2, 4x4 mm2, 4x6 mm2, 4x10 mm2, 4x16 mm2, 4x25 mm2 and 4x35 mm2 2. VCT-G, 1 Model: 1. Insulated and sheathed flexible cables VCT-G rated voltage 450/750V conductor class 5 cross-sectional area of conductor 2x1/1 mm2, 2x1.5/1.5 mm2, 2x2.5/2.5 mm2, 2x4/4 mm2, 2x6/6 mm2, 2x10/10 mm2, 2x16/16 mm2, 2x25/16 mm2, 2x35/16 mm2, 3x1/1 mm2, 3x1.5/1.5 mm2, 3x2.5/2.5 mm2, 3x4/4 mm2, 3x6/6 mm2, 3x10/10 mm2, 3x16/16 mm2, 3x25/16 mm2, 3x35/16 mm2, 4x1/1 mm2, 4x1.5/1.5 mm2, 4x2.5/2.5 mm2, 4x4/4 mm2, 4x6/6 mm2, 4x10/10 mm2, 4x16/16 mm2, 4x25/16 mm2 and 4x35/16 mm2	GL2026/033-6	09-Jun-29	MCI-Draka Cable Co., Ltd. 2170 New Petchburi Road, Bangkapi, Huaykhwang Bangkok, 10310 TEL : 02-3080830-2 FAX : 02-3080054
2	Charoong Thai Wire & Cable Public Company Limited	CTW	1. 60227 IEC 01 1. Single-core non-sheathed cable with rigid conductor for general purposes Code designation 60227 IEC 01 Rated voltage 450/750V Class 1 Nominal cross-sectional area of conductor 1.5 mm2, 2.5 mm2, 4 mm2, 6 mm2 and 10 mm2 2. Single-core non-sheathed cable with rigid conductor for general purposes Code designation 60227 IEC 01 Rated voltage 450/750V Class 2 Nominal cross-sectional area of conductor 1.5 mm2, 2.5 mm2, 4 mm2, 6 mm2, 10 mm2 and 16 mm2 3. Single-core non-sheathed cable with rigid conductor for general purposes Code designation 60227 IEC 01 Rated voltage 450/750V Class 2 Nominal cross-sectional area of conductor 25 mm2, 35 mm2, 50 mm2, 70 mm2, 95 mm2 and 120 mm2 4. Single-core non-sheathed cable with rigid conductor for general purposes Code designation 60227 IEC 01 Rated voltage 450/750V Class 2 Nominal cross-sectional area of conductor 150 mm2, 185 mm2, 240 mm2, 300 mm2 and 400 mm2	GL2025/058-1	20-Oct-28	Charoong Thai Wire & Cable Public Company Limited 589/71 Central City Tower, Floor 12A, Debaratana Road, North Bangna, Bangna, Bangkok 10260 TEL: 0-2745-6118-30 FAX: 0-2745-6131-32

Electric and Communication Cables (TGL-118-16)

List	Company	Brand	Model	Contract no.	Expire date	Contract
	Charoong Thai Wire & Cable Public Company Limited	CTW	1. 60227 IEC 02 1.Single-core non-sheathed cable with flexible conductor for general purposes Code designation 60227 IEC 02 Rated voltage 450/750V Class 5 Nominal cross-sectional area of conductor 1.5 mm2, 2.5 mm2, 4 mm2, 6 mm2, 10 mm2 and 16 mm2 2.Single-core non-sheathed cable with flexible conductor for general purposes Code designation 60227 IEC 02 Rated voltage 450/750V Class 5 Nominal cross-sectional area of conductor 25 mm2, 35 mm2, 50 mm2, 70 mm2, 95 mm2 and 120 mm2 3.Single-core non-sheathed cable with flexible conductor for general purposes Code designation 60227 IEC 02 Rated voltage 450/750V Class 5 Nominal cross-sectional area of conductor 150 mm2, 185 mm2 and 240 mm2	GL2025/058-2	20-Oct-28	Charoong Thai Wire & Cable Public Company Limited 589/71 Central City Tower, Floor 12A, Debaratana Road, North Bangna, Bangna, Bangkok 10260 TEL: 0-2745-6118-30 FAX: 0-2745-6131-32
	Charoong Thai Wire & Cable Public Company Limited	CTW	1. 60227 IEC 10 1. Light polyvinyl chloride sheathed cable Code designation 60227 IEC 10 Rated voltage 300/500V Class 1 Nominal cross-sectional area of conductor 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 2x6 mm2, 2x10 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 3x6 mm2, 3x10 mm2, 4x1.5 mm2, 4x2.5 mm2, 4x4 mm2, 4x6 mm2, 4x10 mm2, 5x1.5 mm2, 5x2.5 mm2, 5x4 mm2, 5x6 mm2 and 5x10 mm2 2. Light polyvinyl chloride sheathed cable Code designation 60227 IEC 10 Rated voltage 300/500V Class 2 Nominal cross-sectional area of conductor 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 2x6 mm2, 2x10 mm2, 2x16 mm2, 2x25 mm2, 2x35 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 3x6 mm2, 3x10 mm2, 3x16 mm2, 3x25 mm2, 3x35 mm2, 4x1.5 mm2, 4x2.5 mm2, 4x4 mm2, 4x6 mm2, 4x10 mm2, 4x16 mm2, 4x25 mm2, 4x35 mm2, 5x1.5 mm2, 5x2.5 mm2, 5x4 mm2, 5x6 mm2, 5x10 mm2, 5x16 mm2, 5x25 mm2 and 5x35 mm2	GL2025/058-3	20-Oct-28	Charoong Thai Wire & Cable Public Company Limited 589/71 Central City Tower, Floor 12A, Debaratana Road, North Bangna, Bangna, Bangkok 10260 TEL: 0-2745-6118-30 FAX: 0-2745-6131-32
	Charoong Thai Wire & Cable Public Company Limited	CTW	1. 60227 IEC 53 1.Ordinary polyvinyl chloride sheathed cord Code designation 60227 IEC 53 Rated voltage 300/500V Class 5 Nominal cross-sectional area of conductor 2x0.75 mm2, 2x1 mm2, 2x1.5 mm2, 2x2.5 mm2, 3x0.75 mm2, 3x1 mm2, 3x1.5 mm2, 3x2.5 mm2, 4x0.75 mm2, 4x1 mm2, 4x1.5 mm2, 4x2.5 mm2, 5x0.75 mm2, 5x1 mm2, 5x1.5 mm2 and 5x2.5 mm2	GL2025/058-4	20-Oct-28	Charoong Thai Wire & Cable Public Company Limited 589/71 Central City Tower, Floor 12A, Debaratana Road, North Bangna, Bangna, Bangkok 10260 TEL: 0-2745-6118-30 FAX: 0-2745-6131-32

Electric and Communication Cables (TGL-118-16)

List	Company	Brand	Model	Contract no.	Expire date	Contract
	Charoong Thai Wire & Cable Public Company Limited	CTW	1. NYY□ 1. Insulated inner sheathed and outer sheathed cable Code designation NYY Rated voltage 450/750V Class 1 Nominal cross-sectional area of conductor 1x1 mm2, 1x1.5 mm2, 1x2.5 mm2 and 1x4 mm2 2. Insulated inner sheathed and outer sheathed cable Code designation NYY Rated voltage 450/750V Class 2 Nominal cross-sectional area of conductor 1x1 mm2, 1x1.5 mm2, 1x2.5 mm2, 1x4 mm2, 1x6 mm2, 1x10 mm2, 1x16 mm2, 1x25 mm2, 1x35 mm2, 1x50 mm2, 1x70 mm2, 1x95 mm2, 1x120 mm2, 1x150 mm2, 1x185 mm2, 1x240 mm2, 1x300 mm2, 1x400 mm2 and 1x500 mm2 3. Insulated inner sheathed and outer sheathed cable Code designation NYY Rated voltage 450/750V Class 1 Nominal cross-sectional area of conductor 2x1 mm2, 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 3x1 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 4x1 mm2, 4x1.5 mm2, 4x2.5 mm2 and 4x4 mm2 4. Insulated inner sheathed and outer sheathed cable Code designation NYY Rated voltage 450/750V Class 2 Nominal cross-sectional area of conductor 2x1 mm2, 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 2x6 mm2, 2x10 mm2, 2x16 mm2, 2x25 mm2, 2x35 mm2, 2x50 mm2, 2x70 mm2, 2x95 mm2, 2x120 mm2, 2x150 mm2, 2x185 mm2, 2x240 mm2, 2x300 mm2, 3x1 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 3x6 mm2, 3x10 mm2, 3x16 mm2, 3x25 mm2, 3x35 mm2, 3x50 mm2, 3x70 mm2, 3x95 mm2, 3x120 mm2, 3x150 mm2, 3x185 mm2, 3x240 mm2, 3x300 mm2, 4x1 mm2, 4x1.5 mm2, 4x2.5 mm2, 4x4 mm2, 4x6 mm2, 4x10 mm2, 4x16 mm2, 4x25 mm2, 4x35 mm2, 4x50 mm2, 4x70 mm2, 4x95 mm2, 4x120 mm2, 4x150 mm2, 4x185 mm2, 4x240 mm2 and 4x300 mm2	GL2025/058-5	20-Oct-28	Charoong Thai Wire & Cable Public Company Limited 589/71 Central City Tower, Floor 12A, Debaratana Road, North Bangna, Bangna, Bangkok 10260 TEL: 0-2745-6118-30 FAX: 0-2745-6131-32
	Charoong Thai Wire & Cable Public Company Limited	CTW	1. NYY-G□ 1. Insulated inner sheathed and outer sheathed cable Code designation NYY-G Rated voltage 450/750V Class 1 Nominal cross-sectional area of conductor 2x1/1 mm2, 2x1.5/1.5 mm2, 2x2.5/2.5 mm2, 2x4/4 mm2, 3x1/1 mm2, 3x1.5/1.5 mm2, 3x2.5/2.5 mm2, 3x4/4 mm2, 4x1/1 mm2, 4x1.5/1.5 mm2, 4x2.5/2.5 mm2 and 4x4/4 mm2 2. Insulated inner sheathed and outer sheathed cable Code designation NYY-G Rated voltage 450/750V Class 2 Nominal cross-sectional area of conductor 2x1/1 mm2, 2x1.5/1.5 mm2, 2x2.5/2.5 mm2, 2x4/4 mm2, 2x6/6 mm2, 2x10/10 mm2, 2x16/16 mm2, 2x25/16 mm2, 2x35/16 mm2, 2x50/25 mm2, 2x70/35 mm2, 2x95/50 mm2, 2x120/70 mm2, 2x150/95 mm2, 2x185/95 mm2, 2x240/120 mm2, 2x300/150 mm2, 3x1/1 mm2, 3x1.5/1.5 mm2, 3x2.5/2.5 mm2, 3x4/4 mm2, 3x6/6 mm2, 3x10/10 mm2, 3x16/16 mm2, 3x25/16 mm2, 3x35/16 mm2, 3x50/25 mm2, 3x70/35 mm2, 3x95/50 mm2, 3x120/70 mm2, 3x150/95 mm2, 3x185/95 mm2, 3x240/120 mm2, 3x300/150 mm2, 4x1/1 mm2, 4x1.5/1.5 mm2, 4x2.5/2.5 mm2, 4x4/4 mm2, 4x6/6 mm2, 4x10/10 mm2, 4x16/16 mm2, 4x25/16 mm2, 4x35/16 mm2, 4x50/25 mm2, 4x70/35 mm2, 4x95/50 mm2, 4x120/70 mm2, 4x150/95 mm2, 4x185/95 mm2, 4x240/120 mm2 and 4x300/150 mm2	GL2025/058-6	20-Oct-28	Charoong Thai Wire & Cable Public Company Limited 589/71 Central City Tower, Floor 12A, Debaratana Road, North Bangna, Bangna, Bangkok 10260 TEL: 0-2745-6118-30 FAX: 0-2745-6131-32

Electric and Communication Cables (TGL-118-16)

List	Company	Brand	Model	Contract no.	Expire date	Contract
	Charoong Thai Wire & Cable Public Company Limited	CTW	1. VCT□ 1. Insulated and sheathed flexible cable Code designation VCT Rated voltage 450/750V Class 5 Nominal cross-sectional area of conductor 1x1 mm2, 1x1.5 mm2, 1x2.5 mm2, 1x4 mm2, 1x6 mm2, 1x10 mm2, 1x16 mm2, 1x25 mm2, 1x35 mm2, 2x1 mm2, 2x1.5 mm2, 2x2.5 mm2, 2x4 mm2, 2x6 mm2, 2x10 mm2, 2x16 mm2, 2x25 mm2, 2x35 mm2, 3x1 mm2, 3x1.5 mm2, 3x2.5 mm2, 3x4 mm2, 3x6 mm2, 3x10 mm2, 3x16 mm2, 3x25 mm2, 3x35 mm2, 4x1 mm2, 4x1.5 mm2, 4x2.5 mm2, 4x4 mm2, 4x6 mm2, 4x10 mm2, 4x16 mm2, 4x25 mm2 and 4x35 mm2	GL2025/058-7	20-Oct-28	Charoong Thai Wire & Cable Public Company Limited 589/71 Central City Tower, Floor 12A, Debaratana Road, North Bangna, Bangna, Bangkok 10260 TEL: 0-2745-6118-30 FAX: 0-2745-6131-32
	Charoong Thai Wire & Cable Public Company Limited	CTW	1. VCT-G□ 1. Insulated and sheathed flexible cable Code designation VCT Rated voltage 450/750V Class 5 Nominal cross-sectional area of conductor 2x1/1 mm2, 2x1.5/1.5 mm2, 2x2.5/2.5 mm2, 2x4/4 mm2, 2x6/6 mm2, 2x10/10 mm2, 2x16/16 mm2, 2x25/16 mm2, 2x35/16 mm2, 3x1/1 mm2, 3x1.5/1.5 mm2, 3x2.5/2.5 mm2, 3x4/4 mm2, 3x6/6 mm2, 3x10/10 mm2, 3x16/16 mm2, 3x25/16 mm2, 3x35/16 mm2, 4x1/1 mm2, 4x1.5/1.5 mm2, 4x2.5/2.5 mm2, 4x4/4 mm2, 4x6/6 mm2, 4x10/10 mm2, 4x16/16 mm2, 4x25/16 mm2 and 4x35/16 mm2	GL2025/058-8	20-Oct-28	Charoong Thai Wire & Cable Public Company Limited 589/71 Central City Tower, Floor 12A, Debaratana Road, North Bangna, Bangna, Bangkok 10260 TEL: 0-2745-6118-30 FAX: 0-2745-6131-32